



## Standard Dry Containers



20' Standard	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	4,916 LBS
	19'4"	7'8"	7'10"	7'8"	7'6"	1,172 CFT	47,900 LBS	2,230 KGS
	5.90 M	2.35 M	2.39 M	2.24 M	2.28 M	33.2 CU. M	21,700 KGS	

40' Standard	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	8,160 LBS
	39'5"	7'8"	7'10"	7'8"	7'6"	2,390 CFT	59,040 LBS	3,700 KGS
	12.04 M	2.35 M	2.39 M	2.34 M	2.28 M	67.7 CU. M	26,780 KGS	

## High Cube Dry Containers



Specifically for light, voluminous or over-height cargo.

40' High Cube	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	8,750 LBS
	39'5"	7'8"	8'10"	7'8"	8'5"	2,694 CFT	58,450 LBS	3,970 KGS
	12.04 M	2.35 M	2.70 M	2.34 M	2.59 M	76.3 CU. M	26,510 KGS	

45' High Cube	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	8,550 LBS
	44'6"	7'8"	8'10"	7'8"	8'5"	3,050 CFT	64,250 LBS	3,880 KGS
	13.56 M	2.35 M	2.70 M	2.34 M	2.59 M	86.4 CU. M	29,140 KGS	

## Reefer Container




Specifically for cargo requiring transport at a constant temperature above or below a freezing point.

20' Reefer	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	7,040 LBS 3,200 KGS
	17'8"	7'5"	7'5"	7'5"	7'3"	2,694 CFT	58,450 LBS	
	5.43 M	2.28 M	2.26 M	2.26 M	2.22 M	28.3 CU. M	20,800 KGS	

40' Reefer	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	10,780 LBS 4,900 KGS
	37'8"	7'5"	7'2"	7'5"	7'0"	2,040 CFT	56,276 LBS	
	11.50 M	2.27 M	2.20 M	2.28 M	2.20 M	57.8 CU. M	25,580 KGS	

40' Reefer High Cube	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	9,900 LBS 4,500 KGS
	37'11"	7'6"	8'2"	7'6"	8'0"	2,344 CFT	57,561 LBS	
	11.58 M	2.30 M	2.50 M	2.30 M	2.44 M	66.6 CU. M	25,980 KGS	

## Open Top Containers




Has a removable tarpaulin. Specifically designed for over-height cargo, allows for loading by crane.

20' Open Top	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	5,280 LBS 2,400 KGS
	19'4"	7'7"	7'8"	7'6"	7'2"	1,136 CFT	47,620 LBS	
	5.90 M	2.31 M	2.35 M	2.29 M	2.19 M	32.2 CU. M	21,600 KGS	

40' Open Top	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	8,490 LBS 3,850 KGS
	39'5"	7'8"	7'8"	7'8"	7'5"	2,350 CFT	58,710 LBS	
	12.03 M	2.35 M	2.35 M	2.34 M	2.27 M	67.5 CU. M	26,630 KGS	

# Flat Rack and Platform Containers



Specifically for heavy loads & over-width cargo, ideal for out of gauge cargo that will not fit inside a closed container.

20' Flat Rack	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	5,578 LBS 2,530 KGS
	18'5"	7'3"	7'4"	-	-	-	47,333 LBS	
	5.62 M	2.20 M	2.23 M	-	-	-	21,470 KGS	

40' Flat Rack	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	12,081 LBS 5,480 KGS
	39'7"	6'10"	6'5"	-	-	-	85,800 LBS	
	12.08 M	2.44 M	2.10 M	-	-	-	39,000 KGS	

20' Collapsible Flat Rack	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	6,061 LBS 2,750 KGS
	18'6"	7'3"	7'4"	-	-	-	61,117 LBS	
	5.62 M	2.21 M	2.23 M	-	-	-	27,730 KGS	

40' Collapsible Flat Rack	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	12,787 LBS 5,800 KGS
	39'7"	6'10"	6'5"	-	-	-	85,800 LBS	
	12.08 M	2.13 M	2.04 M	-	-	-	39,000 KGS	

20' Platform	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	6,061 LBS 2,750 KGS
	19'11"	8'0"	7'4"	-	-	-	52,896 LBS	
	6.06 M	2.44 M	2.23 M	-	-	-	24,000 KGS	

40' Platform	Interior Dimensions			Door Openings		Maximum Capacity		Tare Weight
	Length	Width	Height	Width	Height	Volume	Weight	12,783 LBS 5,800 KGS
	40'0"	8'0"	6'5"	-	-	-	86,397 LBS	
	12.18 M	2.40 M	1.95 M	-	-	-	39,200 KGS	